

zCICS

Supplied Transactions

v9



Automated Software Tools Corporation.

[Table of Contents](#)

[CEBR](#)

[CEDF](#)

[CEMT](#)

[CEMT INQUIRE FILE detailed description](#)

[CEMT SET FILE detailed description](#)

[Change Summary](#)

[Trademarks](#)

[Credits](#)

zCICS Supplied Transactions

1) CEBR

Browse Temporary Storage Queues.

A new implementation of this transaction combines the old CEBR with CEMT I TSQ.

The Temporary Storage queues are continuously updated/deleted, and therefore show only the state at the moment of request.

A fixed state environment for testing CEBR may be obtained by running the test transaction BED9.

Input formats:

CEBR	Invokes the queue names display.
CEBR qname	qname is case sensitive. If found, goes to the data display.
CEBR X'..'	The hex characters are not case sensitive. A maximum of 16 hex characters are processed. If found, goes to the data display. If the qname is not found, goes to the queue names display.

There are two displays:

- a) The queue names display
All current queue names are displayed with the number of items in each queue at that moment.

There is only room for the 1st 60 queue names.

PF2 switches the queue name format cyclically, EBCDIC/ASCII/HEX
In hex mode, only the first eight bytes are shown.
The current mode is shown top right.

CLEAR will terminate CEBR

Select a queue name with the cursor and press ENTER to go to the data display.

Undisplayable characters are shown by an @-sign.

- b) The data display
The 1st entry will show data items 1-16 or fewer starting from the 1st byte.

Undisplayable characters are shown by an @-sign.

zCICS Supplied Transactions

Paging functions are usually by the PF keys shown at the bottom of the screen. These keys are dynamic, only those shown are active.

PF keys:

PF1 -- Displays available commands, these are explained later. Any AID key returns to the data display.

PF2 -- PF2 switches the data format cyclically, EBCDIC/ASCII/HEX
The current mode is shown top right.
The queue name is also converted and in hex mode only the 1st eight bytes are shown.

PF3 -- Either terminates CEBR or returns to the queue names display.

PF4 -- 1st data item after ** TOP **

PF5 -- Even if the ** BOTTOM ** line is on the screen, PF5 will always display that line and as much preceding data as is possible.

PF7/PF8 -- Scroll forward or back 8 items.

PF9/PF12 -- Scroll right or left 72 bytes if the mode is EBCDIC or ASCII.
In hex mode, scrolling is 36 bytes.

PF10/PF11 -- Scroll forward or back 16 items.

Top line:

REC n of n

Shows the current item and maximum items.

COL n of n

Shows the current data position and the maximum available on the current display.

If the data is of variable length, the display may show (e.g.) column 37 of 13. This may look odd, but indicates that a preset position and scroll forward or backward has displayed data that is too short for the preset position. Corrected by PF12 or a Column command.

zCICS Supplied Transactions

Commands:

Typed after ENTER COMMAND ==>

The minimum characters typed are indicated by upper case.

In general, bad syntax causes the command to be ignored.

There must be a space between parameters.

Top -- same as PF4

Bottom -- same as PF5

Line n..n -- Start from item number n..n

Column n..n -- Show data from position n..n

Find -- Not yet implemented

Queue -- Return to the queue names display

Queue qname -- qname is case sensitive

-- Display data from qname

Queue X'..' -- The hex characters are not case sensitive

-- A maximum of 16 hex characters are processed

Any syntax error here returns to the queue names display.

PURGE -- Must be upper case, deletes the TS queue.

zCICS Supplied Transactions

2) CEDF

Intercept EXEC CICS commands and display associated parameters.

Currently only two-terminal working is supported, therefore a minimum of two terminals must be active before CEDF may be invoked.

For all the instructions below, DON0 is used as the termid receiving the intercepts and DON1 as the termid running the user transaction.
Any two termids may be used in your environment.

EXEC CICS commands and CEDF...

All commands are intercepted by default.

If a CEDF intercept is not wanted for a command then add the parameter NOEDF.

If no CEDF intercepts are wanted for a program or module then code NOEDF as a parameter on the CALL MZ390.

Starting CEDF...

On DON0, CTRL+C (clear), then enter CEDF DON1.

See the message 'EDF REQUEST SENT TO DON1'

Switch to DON1 (ALT+TAB) to see the message 'THIS TERMINAL: EDF MODE ON'

On DON1, CTRL+C (clear) and type your transid.

There should be an immediate switch to DON0 to display the program initiation screen.

Tracing through the EXEC CICS commands...

Just press ENTER.

See Special intercepts later.

Actions available for each intercept...

a) For some commands there may be too many parameters to fit on one screen. In these cases the paging keys will appear.

b) Where there are parameters that may have valid values in EBCDIC, ASCII or HEX then the PF2 key is displayed to switch modes.
The current mode is displayed on Line 1.

c) For all intercepts PF5 can be used to display the DSA (Working Storage). Paging is available as required as well as PF2 to switch the character display between EBCDIC and ASCII.
PF2 in this display does not affect the mode of the intercept display.
Pressing ENTER will return you to the intercept display.

zCICS Supplied Transactions

Special intercepts...

- a) Conversational mode
EXEC CICS RECEIVE will display the message 'AFTER ENTER ACTION REQUIRED ON TERMINAL'.
Press ENTER on DON0, then switch to DON1, enter some data and/or press the appropriate key for the transaction.
A switch to DON0 will automatically occur to intercept the RECEIVE.
- b) EXEC CICS RETURN TRANSID(....)
On DON0 the message 'TASK TERMINATION:TRANSID SET'.
CEDF is still active, switch to DON1, enter some data and/or press the appropriate key for the transaction.
A switch to DON0 will automatically occur to start the pseudo-conversational transaction.
- c) EXEC CICS RETURN at the lowest level
On DON0 the message 'TASK TERMINATION:NO TRANSID SET'
The task has terminated but CEDF is still active.
On DON1 another transid may be entered to continue the intercepts.
- d) EXEC CICS RETURN at a higher level
On DON0 the message 'PROGRAM TERMINATION:LEVEL nn'
Continue to press ENTER as this is a RETURN from a LINK and the transaction will continue.

Turning CEDF off...

- a) During normal interception press PF3 and the transaction on DON1 will complete as normal.
- b) At TASK TERMINATION...
Clear the screen and enter CEDF DON1,OFF
No message is sent to DON1 in case it corrupts any current map but normal operation can continue on DON1.

Forthcoming features...

- Redisplay mode.
- Stop conditions.
- Dump display of FROM/INTO/SET etc. data areas.
- Abend intercept and abend task.
- Parameter/DSA modification.

zCICS Supplied Transactions

3) CEMT

Conversational Mode

If any syntax error occurs then CEMT is switched into conversational mode and the principle parameters can be cursor selected from the screen.

You cannot retype the command here, cursor selection or CLEAR are the only options.

The cursor may be placed anywhere on the selection line.

The following INQUIRE commands have a single screen response with no page forward/back implemented. Only the minimum abbreviations are shown. The full text may also be typed, e.g. CEMT INQUIRE TERMINAL

- CEMT I ENQ Displays the QEA (ENQ) chain
- CEMT I FI Displays the files in the FCT.
Changes may be made to multiple files.
Cursor select a file for a full display.
Click [here](#) for a detailed description.
- CEMT I TER Displays the state of all terminals.
- CEMT I TRA Displays the PCT.
Currently limited to 42 transactions.
- CEMT I SYS Displays the Z390CICS.INI file.
JAR_PATH and CICS_PATH are no longer INI parameters so they are extracted from their environment variables
- CEMT S FI Changes the status of one or more files.
Click here for a detailed description

Operational commands:

- CEMT S TER OUT Shuts down the terminal (Z390KCP).
- CEMT P SHU Shut down the server if no active tasks.
When all active tasks are closed the server is shut down and zCICS ends.
- CEMT P SHU IMM Shut down the server immediately.

zCICS Supplied Transactions

CEMT INQUIRE FILE detailed description

Multiple parameters may be specified.

When conflicts occur the rightmost parameter takes precedence.

The capitalized part of each parameter is the minimum accepted.

If the file specification is omitted then ALI is the default.

The file specification can immediately follow FI or can be a separate parameter.

File specification:

- a) As a single filename e.g. (MYFILE)
- b) As multiple filenames e.g. (MYFILE1,MYFILE2)
- c) Wild cards can be used e.g. (+Y++)
This means all 4-character filenames with Y as the 2nd
- d) Ending generic e.g. (+Y*)
This means all filenames of at least 2 character with Y as the 2nd

Floating generic e.g. (*AB*) is not supported.

Additional selection parameters:

OPen CLOsed ENabled DISabled UNenabled
REad NORead UPdate NOUpdate ADd NOAdd
BRrowse NOBrowse DElete NODelete

Extension:

FiXed Variable

Note the abbreviation for fixed is FX to avoid conflict with FILE.

When ENTER is pressed all files that meet the parameter criteria are displayed.

From the multiple file list screen you can do one of the following:

- a) Amend the command line to change the parameters or to go to a different CEMT function. Any other changes on the screen will be discarded and the cursor position ignored.
- b) Cursor select a file to go to the detailed display.
- c) Overtyping any of the green fields to change the file(s) status and press ENTER. Only the first character of each field is checked.

All successful amendments will change to white.

If an error was encountered, no more file changes will be processed and an error message will be displayed on line 23.

zCICS Supplied Transactions

From the detailed display you can overtype any of the green fields to change the file(s) status and press ENTER. Only the first character of each field is checked.

All successful amendments will change to white.

If an error was encountered, an error message will be displayed on line 23.

Press PF3 to return to the multiple file display.

zCICS Supplied Transactions

CEMT SET FILE detailed description

Multiple parameters may be specified.

When conflicts occur the rightmost parameter takes precedence.

The capitalized part of each parameter is the minimum accepted.

The file specification is mandatory, a SYNTAX ERROR message is displayed if missing.

The file specification can immediately follow FI or can be a separate parameter.

File specification:

- a) As a single filename e.g. (MYFILE)
- b) As multiple filenames e.g. (MYFILE1,MYFILE2)
- c) Wild cards can be used e.g. (+Y++)
This means all 4-character filenames with Y as the 2nd
- d) Ending generic e.g. (+Y*)
This means all filenames of at least 2 character with Y as the 2nd

Floating generic e.g. (*AB*) is not supported.

Change parameters:

OPen CLosed ENabled DIsabled
REad NORead UPdate NOUpdate ADd NOAdd
BRrowse NOBrowse DElete NODelete

When ENTER is pressed all files that meet the file specification are changed by the parameters specified.

The SET is now changed to INQUIRE and the command re-issued to display the [multiple file list screen](#).

All successful amendments are shown in white.

If an error was encountered, no more file changes will be processed and an error message will be displayed on line 23.

zCICS Supplied Transactions

Change Summary

November 1, 2010

- CEMT section re-arranged
- New sections on CEMT INQUIRE/SET FILE
- New section on CEDF

August 1, 2009

- Non-display characters are now @-signs.
- Update to CEMT I FIL...detailed info via cursor select

February 21, 2009

- Extended CEMT I TRA

June 27, 2008

- Added CEMT conversational mode.
- Added CEMT I ENQ

Trademarks

IBM, CICS and VSAM are registered trademarks of International Business Machines Corporation.

Credits

Author : Melvyn Maltz
Formatting : Walter Petras
Shipping Date: November 1, 2010
Z390 version : V1.5.01f
zCICS version: V9